

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Limitations affecting construction of haul roads and log landings		Suitability for log landings		Soil rutting hazard	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Aa: Alluvial Land-----	100	Not rated		Not rated		Not rated	
Ad: Alluvial Land-----	100	Not rated		Not rated		Not rated	
Be: Beaches-----	100	Not rated		Not rated		Not rated	
BlA: Beltsville-----	95	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
BlB2: Beltsville-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
BlB3: Beltsville-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
BlC2: Beltsville-----	100	Moderate Strength	0.50	Moderately suited Strength Slope	0.50 0.50	Severe Strength	1.00
BlC3: Beltsville-----	100	Moderate Strength	0.50	Moderately suited Strength Slope	0.50 0.50	Severe Strength	1.00
Bm: Bibb-----	100	Severe Flooding Strength	1.00 0.50	Poorly suited Flooding Wetness Strength	1.00 0.50 0.50	Severe Strength	1.00
BrB2: Bourne-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00

Table FOR-1.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Limitations affecting construction of haul roads and log landings		Suitability for log landings		Soil rutting hazard	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BrC3: Bourne-----	100	Moderate Strength	0.50	Moderately suited Strength Slope	0.50 0.50	Severe Strength	1.00
CaB2: Caroline-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
CaC2: Caroline-----	100	Moderate Strength	0.50	Moderately suited Strength Slope	0.50 0.50	Severe Strength	1.00
CaC3: Caroline-----	100	Moderate Strength	0.50	Moderately suited Strength Slope	0.50 0.50	Severe Strength	1.00
CaD2: Caroline-----	100	Moderate Strength	0.50	Poorly suited Slope Strength	1.00 0.50	Severe Strength	1.00
CaD3: Caroline-----	100	Moderate Strength	0.50	Poorly suited Slope Strength	1.00 0.50	Severe Strength	1.00
ChA: Chillum-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
ChB2: Chillum-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
ChC2: Chillum-----	100	Moderate Strength	0.50	Moderately suited Slope Strength	0.50 0.50	Severe Strength	1.00
ChC3: Chillum-----	100	Moderate Strength	0.50	Moderately suited Slope Strength	0.50 0.50	Severe Strength	1.00
CrB2: Croom-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
CrC2: Croom-----	100	Moderate Strength	0.50	Moderately suited Strength Slope	0.50 0.50	Severe Strength	1.00

Table FOR-1.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Limitations affecting construction of haul roads and log landings		Suitability for log landings		Soil rutting hazard	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CrD2: Croom-----	100	Moderate Strength	0.50	Poorly suited Slope Strength	1.00 0.50	Severe Strength	1.00
CrD3: Croom-----	100	Moderate Strength	0.50	Poorly suited Slope Strength	1.00 0.50	Severe Strength	1.00
Cu: Cut And Fill Land---	100	Not rated		Not rated		Not rated	
Ek: Elkton-----	50	Moderate Strength	0.50	Poorly suited Wetness Strength	1.00 0.50	Severe Strength	1.00
Elkton-----	50	Moderate Strength	0.50	Poorly suited Wetness Strength	1.00 0.50	Severe Strength	1.00
EvB: Evesboro-----	100	Moderate Sandiness	0.50	Moderately suited Sandiness	0.50	Moderate Strength	0.50
EvC: Evesboro-----	100	Moderate Sandiness	0.50	Moderately suited Slope Sandiness	0.50 0.50	Moderate Strength	0.50
EwC2: Evesboro-----	60	Moderate Sandiness	0.50	Moderately suited Slope Sandiness	0.50 0.50	Moderate Strength	0.50
Westphalia-----	40	Moderate Strength	0.50	Moderately suited Slope Strength	0.50 0.50	Severe Strength	1.00
EwD2: Evesboro-----	60	Moderate Slope Sandiness	0.50 0.50	Poorly suited Slope Sandiness	1.00 0.50	Moderate Strength	0.50
Westphalia-----	40	Moderate Slope Strength	0.50 0.50	Poorly suited Slope Strength	1.00 0.50	Severe Strength	1.00
EwE2: Evesboro-----	60	Moderate Slope Sandiness	0.50 0.50	Poorly suited Slope Sandiness	1.00 0.50	Moderate Strength	0.50
Westphalia-----	40	Severe Slope Strength	1.00 0.50	Poorly suited Slope Strength	1.00 0.50	Severe Strength	1.00

Table FOR-1.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Limitations affecting construction of haul roads and log landings		Suitability for log landings		Soil rutting hazard	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
FaB: Faceville-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
Fs: Fallsington-----	50	Moderate Strength	0.50	Poorly suited Wetness Strength	1.00 0.50	Severe Strength	1.00
Fallsington-----	50	Moderate Strength	0.50	Poorly suited Wetness Strength	1.00 0.50	Severe Strength	1.00
Gp: Gravel Pits-----	100	Not rated		Not rated		Not rated	
KeC2: Kempsville-----	100	Moderate Strength	0.50	Moderately suited Strength Slope	0.50 0.50	Severe Strength	1.00
KeC3: Kempsville-----	100	Moderate Strength	0.50	Moderately suited Strength Slope	0.50 0.50	Severe Strength	1.00
KeD2: Kempsville-----	100	Moderate Strength	0.50	Poorly suited Slope Strength	1.00 0.50	Severe Strength	1.00
KeD3: Kempsville-----	100	Moderate Strength	0.50	Poorly suited Slope Strength	1.00 0.50	Severe Strength	1.00
KpA: Keyport-----	100	Slight		Well suited		Moderate Strength	0.50
KpB2: Keyport-----	100	Slight		Well suited		Moderate Strength	0.50
KrA: Keyport-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
KrB2: Keyport-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
KrC2: Keyport-----	100	Moderate Strength	0.50	Moderately suited Strength Slope	0.50 0.50	Severe Strength	1.00

Table FOR-1.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Limitations affecting construction of haul roads and log landings		Suitability for log landings		Soil rutting hazard	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Kz: Klej-----	95	Slight		Moderately suited Wetness	0.50	Moderate Strength	0.50
Le: Leonardtown-----	100	Moderate Strength	0.50	Poorly suited Wetness Strength	1.00 0.50	Severe Strength	1.00
MaB2: Marr-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
MaC2: Marr-----	100	Moderate Strength	0.50	Moderately suited Slope Strength	0.50 0.50	Severe Strength	1.00
MaC3: Marr-----	100	Moderate Strength	0.50	Moderately suited Slope Strength	0.50 0.50	Severe Strength	1.00
MmA: Matapeake-----	100	Slight		Well suited		Moderate Strength	0.50
MmB2: Matapeake-----	100	Slight		Well suited		Moderate Strength	0.50
MnA: Matapeake-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
MnB2: Matapeake-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
MnC3: Matapeake-----	100	Moderate Strength	0.50	Moderately suited Strength Slope	0.50 0.50	Severe Strength	1.00
MtA: Mattapex-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
MtB2: Mattapex-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
MuA: Mattapex-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00

Table FOR-1.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Limitations affecting construction of haul roads and log landings		Suitability for log landings		Soil rutting hazard	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MuB2: Mattapex-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
MuC2: Mattapex-----	100	Moderate Strength	0.50	Moderately suited Strength Slope	0.50 0.50	Severe Strength	1.00
On: Othello-----	100	Moderate Strength	0.50	Poorly suited Wetness Strength	1.00 0.50	Severe Strength	1.00
Ot: Othello-----	100	Moderate Strength	0.50	Poorly suited Wetness Strength	1.00 0.50	Severe Strength	1.00
RuB: Rumford-----	100	Slight		Well suited		Moderate Strength	0.50
RuC2: Rumford-----	100	Slight		Moderately suited Slope	0.50	Moderate Strength	0.50
SaA: Sassafras-----	100	Slight		Well suited		Moderate Strength	0.50
SaB2: Sassafras-----	100	Slight		Well suited		Moderate Strength	0.50
SaC2: Sassafras-----	100	Slight		Moderately suited Slope	0.50	Moderate Strength	0.50
SaC3: Sassafras-----	100	Slight		Moderately suited Slope	0.50	Moderate Strength	0.50
SaD2: Sassafras-----	100	Slight		Poorly suited Slope	1.00	Moderate Strength	0.50
SaD3: Sassafras-----	100	Slight		Poorly suited Slope	1.00	Moderate Strength	0.50
SfA: Sassafras-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
SfB2: Sassafras-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00

Table FOR-1.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Limitations affecting construction of haul roads and log landings		Suitability for log landings		Soil rutting hazard	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SmC2: Sassafras-----	65	Moderate Strength	0.50	Moderately suited Slope Strength	0.50 0.50	Severe Strength	1.00
Chillum-----	35	Moderate Strength	0.50	Moderately suited Slope Strength	0.50 0.50	Severe Strength	1.00
SmC3: Sassafras-----	65	Moderate Strength	0.50	Moderately suited Slope Strength	0.50 0.50	Severe Strength	1.00
Chillum-----	35	Moderate Strength	0.50	Moderately suited Slope Strength	0.50 0.50	Severe Strength	1.00
Tm: Tidal Marsh-----	100	Not rated		Not rated		Not rated	
WeB2: Westphalia-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
WeC2: Westphalia-----	100	Moderate Strength	0.50	Moderately suited Slope Strength	0.50 0.50	Severe Strength	1.00
WeC3: Westphalia-----	100	Moderate Strength	0.50	Moderately suited Slope Strength	0.50 0.50	Severe Strength	1.00
WsA: Woodstown-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
WsB: Woodstown-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
WsC2: Woodstown-----	100	Moderate Strength	0.50	Moderately suited Strength Slope	0.50 0.50	Severe Strength	1.00

